NEBRASKA ADMINISTRATIVE CODE

TITLE 229 - DEPARTMENT OF LABOR

CHAPTER 10 - QUALITY CONTROL REVIEWS

001. This chapter is adopted pursuant to *Neb. Rev. Stat.* ' 48-727.

002. At the request of a repair organization of boilers, pressure vessels, or component parts, the Department may conduct an inspection of their quality control program and facilities. This inspection shall be for the purpose of renewal of authorization to use the National Board AR@ stamp. Such requests shall be submitted to the Department at least six (6) months prior the expiration date of such stamps. ~~Initial~~ Q~~q~~uality control reviews ~~shall~~ may be done by the National Board of Boiler and Pressure Vessel Inspectors. ~~If the chief boiler~~ Any inspector that is qualified as a National Board Team Leader to conduct AR@ stamp renewals, including the chief boiler inspector, a deputy boiler inspector or special inspector employed by an insurance company and commissioned pursuant to 229 NAC 11, shall conduct all reviews required ~~reviews after the initial review~~ for companies to obtain the National Board AR@ stamp.

003. At the request of the National Board, the ASME, or boiler, pressure vessel or component parts manufacturer, the Department may participate in the inspection of their quality control program and facilities. This inspection shall be for the purpose of obtaining or renewing authorization to use the applicable ASME code symbol.

004. Owner-user repair organizations and owner-user inspection organizations shall be subject to an audit by the c~~C~~hief boiler i~~I~~nspector, ~~or his or her~~ deputy boiler inspector, or special inspector employed by an insurance company and commissioned pursuant to 229 NAC 11, every third year after the initial review.

005. Quality control reviews and audits conducted to meet the requirements of 229 NAC 5, ' 005(F), or for the National Board “R” Symbol Stamp shall be charged at the ~~pro~~- rate of $800.00 per day and/or $400.00 per one-half day plus all reasonable and necessary expenses attributable to the quality control review.